

EST-XD2E

Universal Electric Operating Table





EST-XD2E

Universal Electric Operating Table



Cod. EST-XTD2EZ

Standard table with Zero function

Cod. EST-XTD2ESZ

Standard table with Zero function and adjust. height 700~1100mm







Good Performance

Standard

Our standard pad is made from soft padded stable polyurethane foam with a thickness of 50 mm. Single piece, no seams, washable and antistatic.

Cod. EST-120001

Optional

In order to prevent decubitus, a further memory pad version is available to the user:

Memoline: visco-elastic foam, antistatic, it adapts to the patient's body contours particularly well and reduces the pressure at the various pressure points.

Cod. EST-120002

Full table radiolucent plate for X-ray and C-arm purpose

· Kidney bridge up





Display

Backlit display indicating status information, e.g. currently chosen position, and status of battery charging, it also ensures a safe and easy handling even in the dark operation room.



Additional control at the bottom with backlit.




Optional footswitch (3 commands)

- Up and down
- Lateral tilt
- Trendelenburg and anti-Trendelenburg Cod. EST-FPS-3




X-ray cassette tunnel

for all the table length, head excluded



Stainless steel inlay plates



Diam 125mm castors with locking, universal castors

Diam 125mm castors, directional castors



Positions



1 - Gynaecology



2 - Gynaecology/Delivery



3 - Endoscope Application



4 - Endoscope Application



5 - Neurosurgery



6 - Neurosurgery in beach chair position



7 - Neurosurgery



8 - ENT/Neurosurgery



9 - General Surgery



10 - Spinal Surgery



Positions



11 - Kidney position



12 - General position (table top movement for C-arm)



13 - Urology/TUR



14 - Gynaecology/Delivery



15 - Rectal Surgery



16 - Knee Arthroscopy



17 - Hand surgery



18 - Upper Limb Trauma



19 - Fractures of the neck of femur



20 - Tibial Shaft Fracture





1) Cod. EST-100001 Head Plate (one included as standard). Detachable, integrated gas spring for weight compensation, adjustable angle for patient comfort



2) Cod. EST-100002

Gynaecology delivery table/Leg section
Detachable, for gynaecology surgery, delivery,
to give a support to doctors during dystocia. One section type.



3) Cod. EST-100003 Leg Section (one included as standard). Detachable, split type, foldable up-down by electromotor.























1) Cod. EST-100100

Arm rest

Integral poly pad, antistatic, 450mm long with attached clamp, horizontal and vertical adjustment, tiltable by socket joint.

(a pair of armrests are included as standard)

Cod. EST-100101 Arm/Leg belts

A pair of velcro strap belts as optional

2) Cod. EST-100102 Wristlet

With clamp, washable and exchangeable, textile velcro belt

3) Cod. EST-100103 Infusion pole

Upper section with 4 hooks, attachment clamp with socket joint

4) Cod. EST-100104 **Body restraint belt**

Washable velcro body belt

5) Cod. EST-100105

Leg restraint beltWashable velcro belt for leg fixation, suitable for leg section

6) Cod. EST-100106

Wristlet

For attachment to anaesthesia frame EST-100107.

Washable and exchangeable textile velcro belt with attachment

7) Cod. EST-100107 Anaesthesia frame

With twist protection, adjustable height, lateral adjustment to make the frame to one side, with fixing clamps

8) Cod. EST-100108 Anaesthesia frame

With twist protection, adjustable height, with two fixing clamps















9) Cod. EST-100109 Fixing clamp For codes :

EST-100108 Anesthesia frame EST-100113.S/113.L Lateral support EST-100116 Foot/knee rest EST-100118 Arm protector

12) Cod. EST-100112 Fixing clamp Hexagon hole, lateral angle adjust.,

prevent the insertion pole rotation, EST-100132 Countertraction post



10) Cod. EST-100110 Fixing clamp Round hole, Ø14mm,

no-lateral angle adjustment. For codes: EST-100100 Armrest EST-100103 Infusion pole EST-100106 Wristlet EST-100107 Anesthesia frame EST-100119 Instrument tray EST-100121 Instrument tray EST-100122 Tube holder EST-100130 Arm/hand board EST-100131 Arm/hand board

EST-100161 Cross bar attach.

13.S) Cod. EST-100113.S Shoulder support

Poly antistatic pad, width, lateral, angle and height are adjustable. Multifunctional pad 190x60mm

13.L) Cod. EST-100113.L

Lateral support Poly antistatic pad, width, lateral, angle and height are adjustable. Multifunctional pad 190x60mm

(3) 13.2

11) Cod. EST-100111

Fixing clamp Round hole, Ø14mm, lateral angle adjustment. For codes: EST-100117 Leg holder EST-100136 Knee pos. Device EST-100137 Rectal support EST-100164 Elbow holder EST-100181 Leg support EST-100182 Leg support

13.1) Cod. EST-100113.1 Multifunction support

Width, lateral, angle and height are adjustable.

13.2) Cod. EST-100113.2 Pubis/sacrum/ sternum support (Figure 2) 85x85 mm

Covered foam pad, antistatic

Cod. EST-100113.3 Pubis/sacrum/ sternum support (Figure 3) 200x120 mm


Covered foam pad, antistatic





13.3) Cod. EST-100260 Stainless steel lateral support
















14) Cod. EST-100114 Accessories rack Stainless steel square-section

tubular frame with rails for attachment of accessories and 1 basket, antistatic castors with lock



Leg restraint straps1 pair, with pads, for split leg section, incl. clamps to attach to side rails

16) Cod. EST-100116

Foot/knee rests
(1 included as standard) Attached on the sides by fixing clamps, can be folded down to serve as the table-top extension, 300x215 mm (WxD)

17) Cod. EST-100117 Leg holder (lithotomy)

1 pair, with removable loops made of washable textile straps. Height & lateral adjustment. It requires fixing clamp EST-100111

18) Cod. EST-100118 Arm protector It requires fixing clamp

EST-100109

19) Cod. EST-100119 Instrument tray Adjustable height, it requires

fixind clamp EST-100110 Tray size: 400x300 mm Max Load: 6 kg

20) Cod. EST-100120 Instrument tray

Mounted on the hooks of the table (without leg section) Tray size: 450x330 mm Max Load: 6 kg


21) Cod. EST-100121 Instrument tray

Height and lateral adjustment, it requires fixing clamp EST-100110 Tray size: 450x330 mm Max Load: 6 kg

22) Cod. EST-100122 Tube holder

(no pictures), for secure positioning of monitor cables







Accessories for orthopaedics, traumatology, spinal surgery and orthopaedic extension















1) Cod. EST-100130

Arm/hand operating board

Radiolucent board with covered antistatic foam pad, with double-layer design suitable to X-ray. X-ray cassette holder can be placed underneath. 700x300 mm (WxD)

2) Cod. EST-100131

Arm/hand operating board Radiolucent board with covered antistatic foam pad, ergonomic shape for optimal access to the surgical field, suitable to C-arm 600x440 (WxD)

3) Cod. EST-100132 Countertraction post

for upper arm Poly pad, max. load : 12kg, requires attachment clamp EST-101112

4) Cod. EST-100133

Humerus traction device

Cod. EST-100134
Weiberger traction device
For hand and finger positioning and traction, hand plate and finger holder of plastic material, to be attached to upper arm positioning device suitable for C-arm, max. load 30kg

5) Cod. EST-100135

For intervertebral disc operations, also as protection for the chest, reducing pressure, keeping good respiratory and circulatory functions in the cervical and lumbar spinal surgery. 630x460x130 (WxDxH)

6) Cod. EST-100136

Knee positioning device

Manual adjustment, with gel pad and fastening strap. Side rail attachment (requires attachment clamp EST-100111) Max. load 25kg

7) Cod. EST-100137

Rectal (abdomen) positioning

Combined with EST-100116 for spinal surgery, rectal surgery, covered with antistatic poly pad, with height and lateral adjustment

Cod. EST-100116 Foot/knee rests

(1 included as standard) Attached on the sides by fixing clamps, can be folded downto serve as the table-top extension, 300x215 mm (WxD)



Accessories for orthopaedics, traumatology, spinal surgery and orthopaedic extension



8) Cod. EST-100138
Axilla support
Padded, radiolucent with countertraction post, including clamps.

9) Cod. EST-100139

Elbow support
Swivelling via eccentric lever joint, including clamps. Recommended to use with EST-100133 & EST-100134 humerus traction and Weiberger

10) Cod. EST-100140

Shoulder surgery deviceSelf-operated type by use power of surgical table itself, placed instead of legsection, it is only compatible to the EST-XD2E. It includes also a head support (EST-100141) and an actuator (EST-100142)

Cod. EST-100141

Head supportFor the shoulder surgery device.

Cod. EST-100142

Actuator

For the shoulder surgery device.





Extension device














1) Cod. EST-100150
Sacro post extension device
For treatment of all kinds of lower limb fractures. Main features:

- Fast, simple and secure attaching to the operating table.
- Modular structure for an optimal range of application

- Unobstructed access to the lower limbs for C-arm image intensifier and complete transillumination of the two axes, no any blind area for C-arm application
- Well-devised accessories for comfortable and precise positioning of the patient
- Including trolley, two supporting bars and EST-100151, EST-100152, EST-100154 and EST-100155(2 pieces)

2) Cod. EST-100151

Positioning boardFor extension device positioning

3) Cod. EST-100152
Sacro post
(countertraction post for femur)
For surgery with the patient in lateral position

4) Cod. EST-100153

Tibia/fibula countertraction postCountertraction post for tibia and fibula with radiolucent padded roll, height and inclinable adjustment for attachment to extension device EST-100150

5) Cod. EST-100154

Pelvis cast

The carbon-fiber countertraction post can be laterally moved





Extension device

6) Cod. EST-100155 Adult Foot rest

Extension part, shoe holder with adult shoe (1 pc). Optional shoe for children cod. EST-100155C (1 pc)

7) Cod. EST-100156
Pelvis support
Pelvis plaster adapter with pelvis support, with removable pelvis rest, adult as standard. Optional for children cod. EST-100156C





EST-100182 EST-100157 EST-100158


8) Cod. EST-100157 Fixing clamp Only for EST-100158 and EST-100182 leg rests for EST-100150 extension device

8) Cod. EST-100158 Lower leg rests Optional pair of velcro strap belts EST-100101

8) Cod. EST-100182 Upper leg rests (a pair included as standard) Optional pair of velcro strap belts EST-100101


9) Cod. EST-100159 Extension device For treatment for legs traction, reset

and legs operation. Not suitable for C-arm.







Accessories for neurosurgery











1) Cod. EST-100160 **Head rest**

1-section, pad head rest, optimal pressure distribution in proneand suspine position. Max. load 15 kg

2) Cod. EST-100161

Cross bar attachment
Stainless steel, for seated positioning in
neurosurgery, adjustment for different table widths. It requires two clamps EST-101110

3) Cod. EST-100162 Head skull clamp

For a secure and stable 3-point fixation of patient's head in suspine, prone, lateral or sitting position. With 3 pins for adults.

4) Cod. EST-100163

Brain retractor system
Unobstructed access to the surgical field. An open ring is crucial for the skull base applications. Recommended for posterior fossa. Mini J-arm allows vertical and horizontal movements

5) Cod. EST-100164 Elbow holders 1 pair. For ENT and plastic surgery.

Height and lateral adjustable, it requires fixing clamp EST-100111 and EST-100160 head rest.



Accessories for gynaecology and urology







1) Cod. EST-100180

Leg Support1 Pair. Adjustable height and swivelling from the foot end, servo-assisted, plastic support with gel pad for foot and lower leg, adjustable to all

Special attachment clamps already included.

2) Cod. EST-100181 Feet Support

1 Pair. Specially designed for gynaecology use during the inspection, operation and delivery. It requires attachment clamp EST-100111

3) Cod. EST-100182

Leg Support (1 Pair included as standard). 1 Pair. Integral polypad, antistatic, stainless steel. It requires attachment clamp EST-100111. Optional pair of velcro strap belts EST-100101



4) Cod. EST-100183

Handle
1 Pair. For women grasping during inspection and delivery.


5) Cod. EST-100002

Gyn aiding table/leg sectionDetachable, for gynaecology surgery, delivery, giving support to doctors during dystocia. One section type.



6) Cod. EST-100185.1 Liquid collection basin without drain Made of stainless steel. Attachment to table column, Basin size 330x265x150 mm (WxDxH)

Cod. EST-100185.2 Liquid collection basin with drain Made of stainless steel, with drainage tube. Attachment to table Attachment to table column, with outlet and plastic tube. Basin size 330x265x150 mm (WxDxH)



Cod. EST-100185.B

Waste bucket 20L

Made of stainless steel


Cod. EST-100185.T

Mobile waste bucket 20L

Made of stainless steel, on casters




Positioning aids













1) Cod. EST-101001 Adult gel head rest for prone position

Adult size, anatomically designed to maintain the patient's head in a comfortable face down position. Output for ET tubes on both sides. Size 280x240x140mm (WxDxH)

Cod. EST-101002 Pediatric gel head rest for prone position

Pediatric size, anatomically designed to maintain the patient's head in a comfortable face down position. Output for ET tubes on both sides. Size 250x200x100mm (WxDxH)

2) Cod. EST-101003

Adult gel head ring for supine position

Adult size, closed type, it protects head and ears during surgery in suspine position. Size 200x50mm

Cod. EST-101004 Pediatric gel head ring for supine positionPediatric size, closed type, it protects head and ears during surgery in suspine position. Size 140x30mm

3) Cod. EST-101005

Adult gel head open ring for lateral position

Adult size, open type, it provides stability and protection to the patient's face during surgery in lateral position. Size 200x55mm

Cod. EST-101006
Pediatric gel head open ring for lateral position
Adult size, open type, it provides stability and protection to the patient's face during surgery in lateral position. Size 140x35mm

4) Cod. EST-101007
Gel pad for lateral positioning
For safe lateral position, to relieve pressure on the shoulder joint and protect the nerve tracts, for surgical interventions on the hip, on the shoulder or on the kidney. Size 700x500x160mm (WxDxH)

5) Cod. EST-101008 Thyroid gland positioning pad


Designed to protect and support neck in the thyroid and neck surgery, the pad aids to fully extend operation vision field for surgeons. Size 480x390x90mm (WxDxH)


6) Cod. EST-101009 Gel heel pads

1 Pair. To support the Achilles area and relieve the pressure on the patients heels during lengthy surgical procedures. Size 180x100x70 mm (WxDxH)



Positioning aids









Full body pad set to relieve patient pressure during the operation

8) Cod. EST-101111 Tunnel cushion

For lateral patient positioning, to prevent the risk of positioning demage to the patient's legs.
Antistatic, covered pad with special foam core of 70mm thickness. Size 650x400x220mm (WxDxH)

9) Cod. EST-101112 Double wedge pad For suspine patient positioning,


designed to prevent brachial plexus paralysis and to stabilize the head. Size 440x500x100 mm (WxDxH)





Antistatic covered poly pad. Size 130x504x504mm (WxDxH)

11) Cod. EST-101114
Intervertebral disk pad
Radiotransparent for intervertebral disk operations. Special foam with cover. Abdominal opening 270x240mm. Size 640x420x100mm (WxDxH)





12) Cod. EST-101115
Intervertebral disk pad
For intervertebral disk operations. To put the patient in prone position.








Basic features























Basic features





Technical Features

Operating table Versions		
EST-XTD2E	Surgical table standard	
EST-XTD2EZ	Surgical table with zero function	
EST-XTD2ESZ	Surgical table with Zero function and	
	adjustable height 700-1100 mm	

adjustable height 700-1100 mm				
Features				
Total length	2220 mm (with footplate)			
Total width	600 mm			
Net width	555 mm			
Head section length	300 mm			
Back section length	380 mm			
Main section length	1080 mm			
Leg section length	580 mm			
Supporting bottom	910 x 625 x 140 mm			
Height adjustment range	700 ~ 1000 mm			
Kidney support up	120 mm			
Movement backward to	350 mm (to head section and			
forward	to foot section)			
Back section up	70°			
Back section down	22°			
Trendelemburg	+30°			
Anti-Trendelemburg	-30°			
Lateral tilt	25°			
Leg section inclination	+15° ~ -90°			
Spread angle of leg plates	200°			
Head section inclination	+45° ~ -90°			
Net weight	280 Kg			
Lying patient max load	300 Kg			
Max. load	320 Kg			
Integrated back-up	Yes, for over 150 movements			
battery				
Power Supply	220V, 50Hz			
	(optional : 110V, 60Hz)			
Sizes with optional ES-TUR (full tunnel cassette holders):				
Back section	500x390mm (LxW)			
Seat section	560x335mm (LxW)			
Leg section (each)	500x320mm (LxW)			

Optional and spare parts				
1	Х	ES-TUN	X-ray cassette tunnel	
1	Х	EST-120001	Standard PU pad mattress, 1 set	
1	X	EST-120002	Memo line pad mattress, 1 set,	
			85mm thickness	
1	Х	300mm distance actuator		
1	Х	Tilt actuators		
1	Х	Trendelenburg actuator		
1	Х	Back-forward movement actuator		
2	Х	Backsection actuator		
2	Х	Leg actuator		
4	Х	Castors		
1	Х	Control box		
1	Х	Hand control		
1	Х	Additional control		
2	Х	Backup battery		

Optional Accessories

Please, look at the optional accessories section on above pages from 6 to 17.



Standard Accessories



Standard mattress



Intergrated battery



EST-100001 Head section



EST-100003 Leg section



EST-100100 Arm rest, 1 pair



EST-100182 Leg support, 1 pair



EST-100116 Feet support, 1 pair



EST-100109 4 x Fixing clamp



EST-100110 2 x Fixing clamp



2 x Fixing clamp



ESSE3 srl, Via Garibaldi 30 14022 Castelnuovo D.B. (AT) Tel +39 011 99 27 706 Fax +39 011 99 27 506 e-mail: esse3@chierinet.it web: www.esse3-medical.com

